

Notes

ALL DSSIMLAR MATERIALS TO BE ISOLATED BY THE USE OF PVC ISOLATING TAPE. ALL SUPPORT MEMBERS ARE BY OTHERS UNLESS NOTED OTHERWISE.

CARRIER TO BE BED ON TWO RUNS OF SVG 25 PVC SEAL

FL30(A) & (B) 1.6mm THICK GALV TOP HATS TH (A) TO BE RADIUS AS NOTED & SECURED HORIZONTALLY AT 1260mm VERTICAL CENTRES.  
TH (B) TO BE INSTALLED VERTICALLY AT 660mm CENTRES. BOTH SECURED USING SD3 5.5x25mm SCREWS AT 400 CENTRES.

2 No. SKINS OF 1.6mm THICK GALVANISED STEEL SHEET SELF CURVE TO SUIT WALL RADIUS. SECURED TO STUDS & BRACKETS USING SD3 T16 5.5x25mm SCR. ALL TO CREATE AN 80mm THK INSULATE.

KINGSPAN KSHOW/P EXTRUDED MULLION SECURED AT PANEL JOINT CENTRES & AT MID PANEL POINT WHERE REQUIRED USING KSA FL6 FASTENERS AT 480mm CTRS

FL01 1.6mm THK GALV TOP HAT SECURED USING KSA FL6 FASTENERS AT 480mm CTRS (PAIRED ACROSS FLANGES).

FL13 1.6mm THICK CORTEN ZED BRACKET SECURED USING SX3-T16 5.5x25mm SCREWS AT 400 CENTRES.

FL14 30x28x1.6mm THICK GALV ANGLE BRACKET SECURED USING SX3-T16 5.5x25mm SCREWS AT 400 CENTRES.

1.5mm THK GALV GUTTER C/W SEALED JOGGLE JOINTS.

1.5mm THK CORTEN BOX FLASHING SECURED USING No.10x25mm PAN HD SD S/S SCR AT 400mm CENTRES.

FL27 0.7mm THICK DRIP FLASHING FINISHED TO MATCH PANELS & SECURED USING SD8-D12 5.5x25mm SCREWS AT 400 CENTRES.

GROUND FLOOR CURTAIN WALL & PERIMETER FLASHINGS & SEALS ALL SUPPLIED & INSTALLED BY WINDOW INSTALLER

40mm THICK PIR INSULATION BOARD INSTALLED HORIZONTALLY & SPLIT AT 400mm CENTRES TO CREATE FACET  
35/40mm THICK PIR INSULATION BOARD 600mm WIDE INSTALLED VERTICALLY BETWEEN VERTICAL TOP HATS.

+11,435 SSL

FL18 1.6mm THICK GALV ZED SECURED USING SD8-T16 5.5x25mm SCREWS AT 400 CENTRES.

PANEL SEALED USING A GUN GRADE SEALANT

KINGSPAN PANEL CARRIER CLEAT SECURED AT 1.2m CENTRES OR EVERY OTHER STUD.

FL12 1.6mm THICK GALV ZED BRACKET SECURED USING SD3-T16 5.5x25mm SCREWS AT 400 CENTRES.

CAVITIES TO BE FILLED WITH LOOSE FILL QUILT INSULATION

FL28 195x60x1.6mm THICK GALV ANGLE SECURED USING SD3-T16 5.5x25mm SCREWS AT 400 CENTRES.

FL29 40x35x1.6mm THICK GALV ANG SECURED USING SD3-T16 5.5x25mm SCREWS AT 400 CENTRES.

100mm SQ SIDE EXIT OUTLET TO BE COUPLED WITH DOWNPIPE TO RUN INTERNALLY TO GULLY BELOW.

Drawing Title  
CORTEN FIRST FLOOR SLAB DETAIL.  
(BUILT UP SYSTEM)

Contract Title  
CHANCERY HOUSE  
LIVERPOOL

Client  
NU CONSTRUCTION Ltd.

Hilbre Court Business Centre  
Corporation Road, Birkenhead  
Wirral CH41 3NG  
Tel: 0151 649 0001  
Fax: 0151 647 7088



Rev	Date
-	

Revisions

Drawn WBW Date MAR 2016

Checked Scale 1:5 @ A3

Drawing No. C683 – 041