



Luminaire Schedule				
Symbol	Qty	Label	MF	Description
12m COLUMN	19	EX1	0.800	35323 - Kona Floodlight 24W NW OVFL SW
6m & 4m COLUMN	78	EX2	0.800	35311 - Kona Floodlight 12W NW OVFL SW
FACADE	20	EX3	0.800	35301 - Kona Floodlight 8W NW NSP SW
BOLLARD	45	EX4	0.800	33286 - Castor Bollard 16W NW RAD SW
IN GROUND	50	EX5	0.800	33591 - Tesis Inground Spotlight 12W NW

Calculation Summary								
Label	CalcType	Units	Avg	Max	Min	Min/Avg	Min/Max	Obs Label
Glare Rating	Illuminance	Lux	4.92	174	0	0.00	0.00	N.A.
Glare Rating	Glare Rating	N.A.	10.00	10	10	1.00	1.00	Obs 1
Glare Rating	Glare Rating	N.A.	10.00	12	10	1.00	0.83	Obs 2
Glare Rating	Glare Rating	N.A.	17.99	40	10	0.56	0.25	Obs 3
Glare Rating	Glare Rating	N.A.	11.42	31	10	0.88	0.32	Obs 4
Glare Rating	Glare Rating	N.A.	14.63	29	10	0.68	0.34	Obs 5
Glare Rating	Glare Rating	N.A.	11.98	20	10	0.83	0.50	Obs 6
Highway 1	Illuminance	Lux	30.06	62	14	0.47	0.23	N.A.
Highway 2	Illuminance	Lux	37.63	52	18	0.48	0.35	N.A.
Isolines	Illuminance	Lux	4.74	187	0	0.00	0.00	N.A.
Pathways	Illuminance	Lux	27.18	175	1	0.04	0.01	N.A.

UWLR Area Summary			
Label	Area	UWLR	Total Watts
Upward Light Ratio	27292	0.340	3455

DO NOT SCALE FROM THIS DRAWING. ALL DIMENSIONS TO BE CONFIRMED ON SITE.

NOTES

REVISIONS

ARCHITECT LINE 1
ARCHITECT LINE 2
ARCHITECT LINE 3
ARCHITECT LINE 4

ERNEST GRIFFITHS | Consulting Engineers

Worthing
Bromborough
Winnin
CH63 0HE
Tel: 0151-334-1358
Fax: 0151-334-5369
www.ernestgriffiths.com

Bromborough : London : Leeds

Job

PALL MALL
OFFICE A

Title
EXTERIOR LIGHTING
PUBLIC REALM SPACE

Scale
1:200

Sheet Size
A0

Date
JUNE '19

Drawing No.
P 4808 E SK02

PRELIMINARY