



Life Time Homes Criteria

4. Entrances to have light fitting, level access threshold and canopy. Min

clear width 800mm with min 300mm nib at leading edge of door swing.

- 6. Minimum clear widths for hallways and door openings.
- 7. Wheel chair access and turning circle in living areas.
- 8. Entrance level living space
- 9. Potential for entrance level bed space
- 10. Entrance level WC compartment and
- 11. Provision for future grab rails within WC's and bathroom facilities.
- 12. Minimum stair width of 900mm, stair lift potential and through floor lift.
- 13. Hoist from principle bedroom to bathroom facility.
- 14. Accessible bathroom facility.
- 15. Glazing and window handle heights.
- 16. Location of service controls

For further details please refer to Life Time Homes Revised Criteria

Document July 2010

General Notes

- Each habitable room to have 1 No. openable window with controls no higher than 1200mm from finished floor level (kitchen & bathroom window not applicable).
- All service controls should be within a height of 450mm to 1200mm from finished floor. Services include switches, sockets, tv / telephone points, consumer units, heating programmer / radiator thermostats, and water stop tap.

Key:-

 Location of walls / doors on standard house type shown in red.



Extra items required to comply with Lifetime Homes shown in blue.



Track Hoist route shown in green.



Clear space required in WC & Bathroom.

Criterion 6:-

Denotes 750mm Min. Clear Width



Denotes 775mm Min. Clear Width



Denotes 900mm Min.Clear Width

General Notes

- Each habitable room to have 1 No. openable window with controls no higher than 1200mm from finished floor level (kitchen & bathroom window not applicable).
- All service controls should be within a height of 450mm to 1200mm from finished floor. Services include switches, sockets, tv / telephone points, consumer units, heating programmer / radiator thermostats, and water stop tap.

The Henley Premium

Heritage Collection
"2016 Edition"
Lifetime Homes
EF Series
1769sqft 164.35m²
DATE: April 2016
REV: -

EF HENLP DM.3

Drawing scale 1:100 @ A3

Bedroom dimensions taken into wardrobe recess

* Maximum Dimension



Scale 1:100 0 1 2 3 4 5 (m