





01 Capless / Unitized Glazing System with fritted glass. System to intergal fins / solid, openable panels



02 Horizontal rainscreen soffit.



09 Precast-Concrete panels.



The use of this data by the recipient acts as an agreement of the following statements. Do not use this data if you do not agree with any of the following statements:

All drawings are based upon site information supplied by third parties and as such their accuracy cannot be guaranteed. All features are approximate and subject to clarification by a detailed topographical survey, statutory service enquiries and confirmation of the legal boundaries.

The controlled version of this drawing should be viewed in DWF or PDF format not DWG or other formats. All prints of this drawing must be made in full colour.


Where this drawing has been based upon Ordnance Survey data, it has been reproduced under the terms of Ryder Licence No. 10000144. Reproduction of this drawing in whole or in part is prohibited without the prior permission of Ordnance Survey.

Do not scale the drawing. Use figured dimensions in all cases. Check all dimensions on site. Report any discrepancies in writing to Ryder before proceeding.

**1:200 Scale (m)**

0 5 10 15 20

K F  
I J H G  
L A E  
C D B




Elevation A - East

1 : 200




Elevation D - South

1 : 200



Elevation B - West

1 : 200



Elevation C - North

1 : 200

- Specification Notes:**
- 01 Glazing system**  
Double glazed unitized or capless solar controlled glazing system (flush appearance) spanning floor to floor.  
Units to be 1500mm wide with intergal glazed look-a-like panels.  
Glazed to units to be fritted as follows:  
East/West Elevations - 900mm horizontal fritting to assist with solar control.  
North/West Elevations - Full height vertical fritting to assist with solar control and provide privacy over covert parking area to north.  
G-Values TBC by MEP engineer. Exact colour TBC.
  - 02 Soffit treatment**  
External soffit to be insulated and overlaid with metal anodised horizontal rain screen system to match solid facade panels. Lighting to be incorporated as MEP design. Exact colour TBC.
  - 03 Concrete Insulated Panels**  
Pre-Cast Concrete acid etched panels created from propriatry former / system.  
Panels to form robust plinth and continue in ground floor entrance area. Exact colour TBC.
  - 04 Opening panels**  
Insulated solid anodised panel glazed into facade system with intergal opening unit. Exact colour TBC.
  - 05 Cladding to ancillaries**  
Trapazoidal cladding system with welded corner junctions. Exact colour TBC.
  - 06 Concrete columns**  
Exposed concrete columns to Type C finish. Colour TBC.
  - 07 Parapet**  
Double glazed façade system extends vertically to form building parapet, finished with anodised aluminium capping.
  - 08 Roof build up**  
Liquid applied inverted roofs with insulation, paving and ballast on concrete roof slab laid to falls with suitable drainage outlets.
  - 09 Atrium roof build up**  
Single ply membrane on metal tray built up system laid to falls.
  - 10 Glazing system to atrium**  
Double glazed unitized or capless solar controlled glazing system (flush appearance) spanning 2700mm above finished roof level.  
Units to be 1500mm wide with intergal glazed look-a-like panels, opening lights and louvres.  
G-Values TBC by MEP engineer. Exact colour TBC.
  - 11 Plant screening / walls**  
Aluminium coated louvered walls with intergal louvred, solid and rollershutter doors as required. Doors 2700mm high with overpanel. Exact colour TBC.
  - 12 Integral anodised solar fin**  
Aluminium fin integrated into facade to provide solar and glare control. Exact colour TBC.

Revision	Date	Drawn by	Checked by
<b>P1.3</b>	15/07/2015	AYo	JSe
Issued for Planning. Structural model updated - column locations amended and changed to circular. Fins increased to 500mm; Colour to facade panels and fins added.			

Revision	Date	Drawn by	Checked by
<b>P1.2</b>	09/06/2015	AYo	JSe
Elevations updated to show additional fritting and concrete reveals			
<b>P1.1</b>	05/06/15	AYo	JSe
Amendments to drawing annotations			
<b>P1.0</b>	04/06/15	AYo	JSe
Drawing replaces 360-01-Rev02 Drawing revised from Stage C submission following Client / PM / Cost feedback / MEP input			

Information
Project Police and Crime Commissioner for Merseyside OCC

Drawing  
Proposed GA Elevations

Drawing No.	Originator	Zone	Level	Type	Role	Number
Project ID <b>OCC</b>	-	RYD	- 00 - ZZ - DR - A	-	-	-3600
Ryder Project No.	Scale at A1	Drawn By	Status	Revision		
2789-00	As indicated	JSe	S2	P1.3		