
Specialist Tree-Felling, Pruning to B.S. 3998. (1989). "Recommendations For Treeworks". Diagnostic and Structural Analysis Evaluations. Site & Garden Clearance. Low Maintenance Layouts Design & Construction. Grounds Maintenance Services.

## Tree Report.


Site Plan: 3. Fairfield Crescent. Liverpool. L6 8PH.

**Proposal:** T1. Horse Chestnut... Fell And Remove.



Fairfield Crescent. L6.

Specialist Tree-Felling, Pruning to B.S. 3998. (1989). "Recommendations For Treeworks". Diagnostic and Structural Analysis Evaluations. Site & Garden Clearance. Low Maintenance Layouts Design & Construction. Grounds Maintenance Services.



## T1. Horse Chestnut. Fell and Remove.

We are applying for consent.

To carry out works to the above Horse Chestnut Tree.

Fell and Remove Horse Chestnut tree due to the Tree being affected by the effects of Bleeding Canker (*Pseudomonas syringae pv. aesculi*)...

<u>Briefly...</u> This Tree is now in rapid decline with the majority of the canopy failing to leaf in the spring to summer months... 50% leaf... Indicating a decline in the Tree's health...

As is the nature of this condition... Sap wood is exposed... Which has allowed other fungi's to use the Tree as a host. White Rot has been detected in the majority of the major stems to the crown... Leading to terminal decay...



Major rot has also been detected to the main trunk from ground level upwards... Which due to the weight of the limbs above... wind load etc... It has an increased probability of structural failure at any of these points... Evidence of this can be clearly seen as parts of the canopy have started to fail... (As pictured).

Therefore this Horse Chestnut Tree has now reached a point at which it is becoming increasingly dangerous... With the most prudent action... would be for rapid removal of this Tree. For the obvious reasons of public concern and safety.

Evidence of the Bleeding Canker.



Parts of the Canopy which have failed due to white Rot.



Mr. L. Kirby. BA(Hons).
Contracts Manager. 07984792179.



Mr. A. Kirby. Senior Consultant. 07957165236